

Kansas Weekly Influenza Surveillance Report 2018-2019 Influenza Season

Week 20: May 12 - May 18, 2019

(All data are preliminary and may change as more information is received.)

Kansas Influenza Geographic Spread*					
No Activity	Sporadic	Local	Regional	Widespread	

^{*}Based on CDC's activity estimates definitions: http://www.cdc.gov/flu/weekly/overview.htm

Summary Stats	
Percent of outpatient visits for ILI ¹	0.9%
Percent of emergency visits due to ILI ²	1.3%
Influenza-associated hospitalization rate ³	<0.1%
Number of influenza outbreaks reported (Cumulative)	34
Influenza-associated mortality – all ages (Cumulative) ⁴	94
Influenza-associated pediatric mortality (Cumulative)	2

¹Influenza-like Illness (ILI): a fever of <u>></u>100°F as well as a cough and/or sore throat. Data from U.S. Outpatient Influenza-like Illness Surveillance Network (ILINet)

About Influenza Surveillance in Kansas:

Kansas regulations do not require health care providers to notify KDHE when a patient is diagnosed with influenza. Instead, influenza activity is measured through ILINet and syndromic surveillance. Each week, ILINet clinics determine the percentage of patients seen with ILI. Data is collected Sunday through Saturday of each week. The Electronic Surveillance System for the Early Notification of Community-Based Epidemics (ESSENCE) is a syndromic surveillance system for capturing and analyzing public health indicators in near real-time for detection of disease outbreaks. This data is analyzed weekly to determine the percentage of visits to emergency departments that are due to ILI. Influenza surveillance in Kansas also consists of laboratory testing, mortality data, and outbreak reporting.

²Emergency visits due to ILI are collected by syndromic surveillance (ESSENCE) received from Kansas hospitals

³Hospitalization rate due to influenza-like illness is calculated using ESSENCE data

⁴Deaths are considered influenza-associated when influenza is listed on the death certificate, either as a direct cause or contributing factor. As of 10/24/18, influenza and pneumonia as contributing factors were reported separately. This will reduce the number of influenza-associated deaths reported in the summary stats table.


Outpatient Influenza-like Illness Surveillance

Outpatient health care providers, including family practices, student health centers, emergency departments, and pediatricians participate in ILINet by reporting the number of patients seen with ILI and the total number of patient seen for any reason each week. Kansas health care providers interested in joining ILINet should contact Amie Cook at 785-296-2898 or amie.cook@ks.gov.

Table 1. Outpatient Visits for ILI Reported by ILINet Facilities by Age Group

Week	Age	Age	Age	Age	Age	Total ILI	ILI
	0-4	5-24	25-49	50-64	>64		Percent
Week 18, ending May 4	33	29	27	7	8	104	0.8%
Week 19, ending May 11	30	30	23	14	13	110	0.8%
Week 20, ending May 18	27	34	34	10	10	115	0.9%

Figure 1. Percentage of Visits for Influenza-like Illness (ILI) Reported by ILINet Sites, Kansas, October 2018 - September 2019 and the Previous Two Surveillance Periods



ILINet sites may vary in number and type each season. Data from the previous two surveillance years are plotted according to week number corresponding to the 2018-2019 week ending date; for example, week 40 of 2018 ended October 6, 2018, week 40 of 2017 ended October 7, 2017, and week 40 of 2016 ended October 8, 2016.

25 of 38 (66%) sites submitted data by the reporting deadline for the current week.

(Additional submissions may be received after Tuesday's deadline which may affect future reports.)

Emergency Department Syndromic Surveillance

Figure 2. Percentage of Visits for ILI reported to ESSENCE, October 2018 – September 2019 and the Previous Two Surveillance Period





Figure 3. Percentage of Visits for ILI reported to ESSENCE by Kansas Region, October 2018 – November 2018



Laboratory Surveillance

The Kansas Health and Environmental Laboratories (KHEL) provides confirmatory testing for ILINet site patients with ILI, as well as for hospitalized patients throughout the state. Real-time Polymerase Chain Reaction (RT-PCR) tests were used to analyze nasal and nasopharyngeal swabs for the presence of influenza virus. KDHE also partners with 3 large hospitals in Kansas to submit up to 20 prescreened positive influenza A specimens each week.





Figure 4. Influenza Specimens Tested at KHEL by Week Ending Date, October 2018 - Present

Table 2. Laboratory-Confirmed Influenza Viruses from Specimens at KHEL by Subtype, October 2018 – Present

Influenza subtype	Number	Percent of Total		
A/H3	152	68%		
A/H1	67	30%		
A (Not Subtyped)	3	1%		
B (Yamagata)	0	0%		
B (Victoria)	1	<1%		

Influenza-Associated Hospitalizations

Figure 5. Percentage and Number of Influenza-Associated Hospitalizations of Reporting Kansas Hospitals by Week



^{*44} hospitals reported influenza hospitalization data for the week ending May 18, 2019.

Influenza-Associated Deaths

Table 3. Kansas Resident Pneumonia & Influenza Related Deaths by Entire Flu Seasons by Causal Relationship

	Season					
	2016-2017		2017-2018		2018-2019	
	N	Percent	N	Percent	N	Percent
Influenza – Contributing Cause of	24	1.5	46	2.7	21	1.6
Death Only						
Influenza – Direct Cause of Death	101	6.4	194	11.4	73	5.4
Pneumonia – Direct Cause of Death	372	23.4	362	21.2	330	24.5
Pneumonia – Contributing Cause of	1093	68.7	1104	64.7	921	68.5
Death Only						
Total	1590	100.0	1706	100.0	1345	100.0

Influenza Outbreaks

While influenza is not a reportable disease in Kansas, outbreaks of any disease are reportable under K.A.R. 28-1-6.

Definition of an influenza outbreak in a long-term care facility:

- 1. Two or more residents in close proximity to each other (e.g. same hall or community) who develop symptoms of ILI within 72 hours; OR
- 2. One laboratory confirmed influenza case and other residents with ILI in close proximity to each other

As of Week 20, 34 influenza outbreaks and five school closures have been reported to KDHE.

Additional Influenza Data Sources

Centers for Disease Control and Prevention: National Influenza Surveillance (FluView): http://www.cdc.gov/flu/weekly/fluactivitysurv.htm

The National Respiratory and Enteric Virus Surveillance System (NREVSS): http://www.cdc.gov/surveillance/nrevss

World Health Organization: International Influenza Surveillance: http://www.who.int/influenza/surveillance monitoring/en